SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier **Chemical Name** CAS No. Trade Name Product Code

Mixture Mixture COMMODORE CARPET CLEANER SP-500-7

Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Uses Advised Against

Company Identification

Telephone Fax E-Mail (competent person)

Emergency telephone number Emergency Phone No.

Carpet cleaning agent None Spray Products Corporation

P.O. Box 737 Norristown, PA 19404

(610) 277-1010 (610) 277-4390 johnd@sprayproducts.com

Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 2; Liquefied gas; Eye Irrit. 2

Label elements

Hazard Symbol

Signal word(s) Hazard Statement(s)

Precautionary Statement(s)



Flammable aerosol Contains gas under pressure; may burst if heated. Causes serious eye irritation. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear eye/face protection. Wash hands and exposed skin after use. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues and persists, get medical attention. Keep out of reach of children.

Other hazards

None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification		
Propane	1 - 5	74.09.6	Flam. Gas 1, H220		
Fiopalie	1-5	74-98-6 106-97-8 Trade Secret	Liquefied gas; H280		
Butane	1 - 5	106.07.9	Flam. Gas 1, H220		
Butane	1-5 106-97-6		Liquefied gas; H280		
Proprietary components	omponents 1 – 5 Trade Secre		Skin Irrit. 2; H315		
Frophetary components	1 – 5	Trade Secret	Eye Irrit. 2; H319		
Proprietary components	0.5 – 1	Trade Secret	Eye Dam. 1; H318		

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.: None

* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES



Description of first aid measures	
Inhalation	Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If symptoms develop, obtain medical attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur obtain medical attention.
Ingestion	Do not give anything by mouth to an unconscious person. Seek medical treatment.
Most important symptoms and effects, both acute and delayed	None
Indication of any immediate medical attention and special treatment needed	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
SECTION 5: FIRE-FIGHTING MEASURES	

Extinguishing Media	
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or water spray. Do not use water jet.
Special hazards arising from the substance or mixture	Highly flammable vapor (flash point below 23°C).
Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Avoid breathing vapors.
Environmental precautions	Prevent liquid entering sewers, basements and work pits.
Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
Reference to other sections	None
Additional Information	None
SECTION 7: HANDLING AND STORAGE	

Precautions for safe handling	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only.					
Conditions for safe storage, including any incompatibilities						
-Storage temperature	Keep in a cool, well ventilated place. Store at temperatures not exceeding 50 $^\circ C$ / 122 $^\circ F.$					
-Incompatible materials	This product should be stored away from sources of strong heat or oxidizing chemicals.					
Specific end use(s)	Carpet cleaning agent					

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.#			#

#Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

Exposure controls

Appropriate engineering controls

Personal protection equipment

Eye/face protection



None - Not normally required.

Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded.

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)



Respiratory protection



Thermal hazards

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

Not normally required. Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls

None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Color. Odor Odor Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) **Explosive Limit Ranges** Vapor pressure (Pascal) Vapor Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) Explosive properties Oxidizing properties

Liquid Colorless Characteristic. Not available Not available Not available Not available -104 (Propane) Not available Flammable 2.1% - 9.5% v/v (Propane) ca. 95 x 10⁴ (Propane) ca. 1.56 @ 0 °C (Propane) Not available Not available Not available Not available 450 (Propane) Not available Not available Not explosive. Not oxidizing.

Other information

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition product(s)[…]

Stable under normal conditions. Stable. None anticipated. Avoid contact with heat and ignition sources. Strong oxidizing agents None known

Not available

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Acute toxicity Irritation / Corrosivity LD50 >5000 mg/kg-bw Causes serious eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity: Short term Long Term

Not available Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

UN number Proper Shipping Name Transport hazard class(es) Packing group Environmental hazards Special precautions for user 1950 Aerosols, flammable 2.1 Not applicable None assigned None assigned

U.S. DOT

Sea transport (IMDG) 1950 Aerosols, flammable 2.1 Not applicable None assigned None assigned

Air transport (ICAO/IATA)

1950 Aerosols, flammable 2.1 Not applicable None assigned None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name CAS No.		Typical %wt.			RQ (Pounds)		
	None							
SARA 311/312 - Hazard Categories:								
	Fire Sudden Release Reactivity Immediate (acute) Chronic (delayed)			c (delayed)				
SARAS	SARA 313 - Toxic Chemicals (40 CFR 372):							
	Chemical Name			CAS No.			Typical %wt.	
	Safrole			94-59-7			<0.01	
SARA 302 - Extremely Hazardous Substances(40 CFR 355):								
	Chemical Name		CAS No.		Typical %wt.		TPQ (pounds)	
	None	None						
California Proposition 65 List:								
	Chemical Name		CAS No.		Type of Toxicity			
	Safrole		94-59	0-7 Cancer		cer		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16. Date of preparation: July 29, 2014

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H280: Contains gas under pressure; may explode if heated.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.