

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of: 29CFR1910.1200

Revision Date 14-Apr-2015 Version 1

**Product identifier** 

Issue Date 14-Apr-2015

Product Name Rust Proofing Compound - Amber

Other means of identification

Product Code 87450 Synonyms None

Recommended use of the chemical and restrictions on use

**Recommended Use Uses advised against**Product designed to protect metal surfaces from the effects of environmental exposure.
Use with adequate ventilation. Keep airborne concentrations below legal and recommended

Use with adequate ventilation. Keep airborne concentrations below legal and recommend

limits.

Details of the supplier of the safety data sheet

Manufacturer Address FBC Chemical Corp.

P.O. Box 599 634 Route 228

Mars, Pennsylvania 16046

(724) 625-3116

Emergency telephone number

Company Phone Number 724 625 3116

Emergency Telephone Call CHEMTREC Day or Night:

Within USA and Canada: 1-800 424-9300 Outside USA and Canada: 1-703-527-3887

## 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

#### Label elements

## **Emergency Overview**

#### Danger

### Hazard statements

Causes damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Flammable liquid and vapor



Appearance Viscous Physical state Liquid Odor Solvent (Mineral Spirits)

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces.

Keep container tightly closed when product is not in use.

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

- May be harmful in contact with skin
- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

## <u>Mixture</u>

This product is a mixture.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Common name** Rust Proofing Compound.

Synonyms None.

**Chemical nature** Organic solvents and additives.

Chemical Name	CAS No.	Weight-%	Trade Secret
Rust Preventative Additive	Proprietary	50 - 60%	*

Petroleum distillates, hydro treated light	64742-47-8	30 - 40%	*
Mineral Spirits (with < 0.1% Benzene)	8052-41-3	10 - 20%	*

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Contains petroleum distillate. Harmful or fatal if swallowed. Vapor harmful. May affect the

brain or central nervous system causing dizziness, headache, or nausea. Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling

contents may be harmful or fatal.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin contact** Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash

contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a

physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If continued difficulty with

breathing is experienced, get medical attention immediately.

Ingestion Not an expected route of exposure. If swallowed, do not induce vomiting. Get medical

attention immediately.

**Self-protection of the first aider** First aider: Pay attention to self-protection!.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause skin irritation. May cause eye irritation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Sand. Use foam or water FOG as a last resort.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

No information available.

Hazardous combustion products Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors

and fumes.

### Explosion data

Sensitivity to Mechanical Impact Not sensitive.

**Sensitivity to Static Discharge** May be ignited by heat, sparks or flames.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions No action should be taken involving any personal risk or without suitable training. Use

personal protective equipment as required.

Other Information Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

**Environmental precautions** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

Prevent product from entering sewers, drains, or waterways. Local authorities should be advised if significant spillages can not be contained. See Section 12 for additional ecological

information.

### Methods and material for containment and cleaning up

Methods for containment Contain spillage with non-combustible absorbent material, e.g. sand, earth, diatomaceous

earth, vermiculite.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled

containers for disposal according to local / national regulations (see Section 13).

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 7. HANDLING AND STORAGE

### Precautions for safe handling

adequate ventilation, especially in confined areas.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, dry, well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition.

**Incompatible materials** Strong acids. Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** This product, as supplied, is not believed to contain any hazardous material that exceeds

exposure limits established by OSHA. .

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits (with < 0.1%	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
Benzene)		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
8052-41-3		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	-

### **Appropriate engineering controls**

Engineering Controls

Use natural cross ventilation, local (mechanical) pick-up, and/or general area mechanical

cross ventilation. Ventilation pattern should be designed to prevent accumulation of solvent vapors. Ventilation must be sufficient to maintain solvent vapor concentrations below the

TWA limits outlined above.

## Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing that is resistant to chemical penetration.

Respiratory protection Provide adequate ventilation. A NIOSH/MSHA approved respirator should be worn.

**General Hygiene Considerations** Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated

clothing before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid **Appearance** Viscous

Odor Solvent (Mineral Spirits) Color Amber Odor threshold No information available

Property Values Remarks • Method

Not applicable N/A pН Melting point/freezing point N/A Not applicable Boiling point / boiling range N/A Not applicable Flash point > 40.5 °C / > 105 Setaflash

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air No data available.

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No Data Available

**Specific Gravity** 0.86 Water = 1g/ml

Water solubility Insoluble

Solubility in other solvents Soluble in aromatic and aliphatic

solvents.

**Partition coefficient** No information available No data available.

**Autoignition temperature** No Data Available **Decomposition temperature** No information available Kinematic viscosity No information available **Dvnamic viscosity** No information available

**Explosive properties** Vapor accumulation could flash or explode if ignited.

**Oxidizing properties** None

### Other Information

Softening point Not applicable

Molecular weight No information available **VOC Content (%)** No information available **Density** 7.0 to 7.4 lb/gal **Bulk density** Not applicable

## 10. STABILITY AND REACTIVITY

Reactivity

Not applicable Not applicable

**Chemical stability** 

Stable.

**Possibility of Hazardous Reactions** 

None under normal use.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Avoid static discharge. Avoid heat, sparks, and open flame.

Incompatible materials

Strong acids. Strong oxidizing agents. **Hazardous Decomposition Products** 

Combustion may produce carbon monoxide, carbon dioxide, and other asphyxiants.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Toxicological testing has not been conducted for this product overall. Available toxicological

data for individual ingredients are summarized below.

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin contact May cause irritation.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately. Not an expected

route of exposure.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	> 5000 mg/kg (Rat)	> 4000 mg/kg ( Rabbit )	-
Petroleum distillates, hydrotreated light*** 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h

#### Information on toxicological effects

**Symptoms** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Can cause skin irritation.

Serious eye damage/eye irritation Irritating to eyes.

Irritation Irritating to eyes, respiratory system and skin.

Corrosivity Not classified.

Sensitization May cause sensitization of susceptible persons.

Germ cell mutagenicity This product does not contain any ingredients that cause germ cell mutagenicity.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen.

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
Developmental Toxicity
None known.
Teratogenicity
None known.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

### Numerical measures of toxicity - No information available

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors

ATEmix (oral) 5,943.00 ATEmix (dermal) 3,421.00 ATEmix (inhalation-dust/mist) 15.83

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

15.79% of the mixture consists of components(s) of unknown hazards to the aquatic environment\*\*\*

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Trade Secret	-	5.7 - 9.7: 96 h Pimephales promelas	6.2 - 12: 48 h Daphnia magna mg/L
		mg/L LC50 static 1.0 - 10.0: 96 h	EC50
		Pimephales promelas mg/L LC50	
		semi-static	
Petroleum distillates, hydrotreated	-	45: 96 h Pimephales promelas mg/L	4720: 96 h Den-dronereides
light***		LC50 flow-through 2.2: 96 h	heteropoda mg/L LC50
64742-47-8		Lepomis macrochirus mg/L LC50	
		static 2.4: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	

## Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

**Contaminated packaging** Do not reuse container.

## 14. TRANSPORT INFORMATION

**DOT** DOT Ground: Regulated if shipped in containers >119 gallons (450 liters).

**Proper shipping name** Flammable liquid, n.o.s.(Petroleum distillates)

**Hazard Class** 3 **Packing Group** Ш

**Special Provisions** Not regulated in containers less than 119 Gallons

**Emergency Response Guide** 

Number

128

TDG

MEX unknown

ICAO (air) unknown

IATA unknown

**IMDG** unknown

RID unknown

ADR unknown

ADN unknown

### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** All of the components of this product are listed on the US TSCA (Toxic Substances Control

Act) Inventory or are exempt.

**DSL/NDSL** All of the components of this product are listed on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** Yes Fire hazard Yes Sudden release of pressure hazard No **Reactive Hazard** No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

This product contains the following substances regulated by various State Right-to-Know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits (with < 0.1%	X	X	X
Benzene)			
8052-41-3			

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 2 Instability 0 **Physical and Chemical** 

Properties -

**HMIS** Health hazards 2 Flammability 2 Personal protection -Physical hazards 0

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By FBC Administrative Services Department

**Issue Date** 14-Apr-2015 **Revision Date** 14-Apr-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**